



FULL GLASS DOOR


IN A DOOR FRAME | WITH CORNER FITTINGS | UP TO 32 dB

We install the full glass doors in a design with simple fittings and hinges or in a higher option combined with our door frame system that brings you even better acoustic properties.

We can also supply doors in a double-leaf or sliding design, according to the layout of your space.

“Full glass doors brightens, aerates, lightens and optically enlarges your space”

Jan Musil | Chairman of the Board and CEO



FULL GLASS DOOR IN A DOOR FRAME | GD10

TECHNICAL SPECIFICATIONS:

Description:	interior door
Variant:	single-leafed / double-leafed
Filling:	glass
Soundproofing Rw:	up to 32 dB
Material:	tempered glass LIKO-Glass®
Door frame:	aluminum wooden
Hinges:	Just 3D Glass, Glass Tectus TEG 310, LIKO-S 3D, Wala WT
For systems:	Micra I Micra II Omega RAVA

LEAF DIMENSIONS:

Standard:	960 × 2,155 mm
Maximal:	1,200 × 3,000 mm
Thickness:	10 mm



FULL GLASS DOOR WITH CORNER FITTINGS | GD10

TECHNICAL SPECIFICATIONS:

Description:	interior door
Variant:	single-leafed / double-leafed
Filling:	glass
Soundproofing Rw:	without requirement
Material:	tempered glass LIKO-Glass®
Door frame:	–
Hinges:	PT hinge swing fitting
For systems:	Micra I

LEAF DIMENSIONS:

Standard:	960 × 2,155 mm
Maximal:	1,200 × 3,000 mm
Thickness:	10 mm

DETAIL OF DOOR FRAMES

Door frame P03
systems Micra II | Omega | Rava
leaf thickness 10 mm




Door frame P05
systems Micra II | Omega | Rava
leaf thickness 10 mm



Door frame P10
systems Micra I
leaf thickness 10 mm



VARIANTS OF DOOR LEAVES





Headquarters:

LIKO-S, a. s.
U Splavu 1419
684 01 Slavkov u Brna
Czech Republic

+420 5 44 22 11 11 | info@liko-s.com

www.liko-partitions.com

Become one of our fans and be part of the story...



FACEBOOK



YOUTUBE



LINKEDIN