



ALUMINIUM DOOR

SINGLE GLASS | DOUBLE GLASS | SOLID

We offer our customers our aluminium door system for the best acoustic results. To ensure the best quality, we design and manufacture the doors ourselves.

We supply these doors with with a transom light or transom panel, full height, sliding or with blinds.

“Our aluminium doors have a classic solid design, and thanks to the glazing, they are suitable for all our systems of solid and glazed partitions.”

Orraine J. Williams | R&D Director



ALUMINIUM AD 1G | SINGLE GLASS

TECHNICAL SPECIFICATIONS:

Description:	interior door
Variant:	single-leafed / double-leafed
Filling:	single glass
Soundproofing Rw:	27 dB
Material:	tempered glass LIKO-Glass®
Door frame:	aluminum wooden
Hinges:	Just 3D, Tectus TE 340
Width of Venetian blinds:	–
For systems:	Micra I Micra II Omega RAVA

LEAF DIMENSIONS:

Standard:	960 × 2,155 mm
Maximal:	1,200 × 3,000 mm
Thickness:	40 mm



ALUMINIUM AD SOLID | SOLID


TECHNICAL SPECIFICATIONS:

Description:	interior door
Variant:	single-leafed / double-leafed
Filling:	full / partial filling
Soundproofing Rw:	28 dB
Material:	LTD veneer varnished MDF
Door frame:	aluminum wooden
Hinges:	Just 3D, Tectus TE 340
Width of Venetian blinds:	–
For systems:	Micra I Micra II Omega RAVA


LEAF DIMENSIONS:

Standard:	960 × 2,155 mm
Maximal:	1,200 × 3,000 mm
Thickness:	40 mm

DETAIL OF DOOR FRAMES



VARIANTS OF DOOR LEAVES





Headquarters:

LIKO-S, a. s.
U Splavu 1419
684 01 Slavkov u Brna
Czech Republic

+420 5 44 22 11 11 | info@liko-s.com

www.liko-partitions.com

Become one of our fans and be part of the story...



FACEBOOK



YOUTUBE



LINKEDIN